



# EVOLVE Shelving System

Innovative Shelving Solutions

Shop Equipment & Design  
[www.shopequip.co.uk](http://www.shopequip.co.uk)

**EVOLVE** S50i

**EVOLVE** Q50i

**EVOLVE** W50i

**EVOLVE** LED

# EVOLVE

The most flexible and comprehensive retail shelving available.

Our range includes:

- ▶ Standard Bays
- ▶ Back Panels
- ▶ Shelving
- ▶ Slatwall
- ▶ Shelf Accessories
- ▶ Hooks
- ▶ Baskets
- ▶ PETG
- ▶ Q-System Management
- ▶ LED lighting
- ▶ Wire



## EVOLVE is the UK's premier modular shelving range.

Our aim is simple, to provide the trade with the most flexible and comprehensive shelving service available.

### Why Evolve?

EVOLVE shelving offers a comprehensive range of standard 50mm pitch metal shelving, queue management system, wire shelving and LED lighting.

- ▶ Generic 50mm pitch
- ▶ Superior finish
- ▶ Stronger weight loading
- ▶ Multiple colours
- ▶ Matching colours for plinths and ticket strips
- ▶ Exceptional value for money
- ▶ Bay widths: 500mm, 665mm, 800mm, 1000mm, 1250mm
- ▶ Superior packaging to protect against damages
- ▶ Full comprehensive range of accessories: PETG, newspaper & magazine shelving, Q-System, hooks, fruit & veg, wire shelving

All our systems are supported with a wide range of accessories such as hooks, acrylics, baskets, newspaper and magazine fixings and fruit and veg equipment.

## Contents

<b>S50i Shelving Range</b>	<b>4-43</b>
Wall & Gondola Bays	6
Shelving Specifications	7
Shelving Bay Profiles	8-12
Technical Info	13-16
Assembly Guides	17-23
Components	24-43
<b>Q50i Queuing System</b>	<b>44-59</b>
Q50i System	46-51
Components	52-57
<b>W50i Wire Shelving System</b>	<b>60-71</b>
Wall & Gondola Bays	62-63
Shelf Profiles	64
Components	65-71
<b>LED Lighting System</b>	<b>72-73</b>
<b>Baskets &amp; Trolleys</b>	<b>74-75</b>





## S50i Shelving Range

**EVOLVE S50i** is a first class range of retail fittings and provides exceptional value for money


From wall bays, gondolas, corner bays and everything in between, the Evolve S50i range will cater for all your needs. Each bay is quick & easy to install and is compatible with the Evolve accessories range, which will enable you to utilise shelf hooks, garment rails, bakery or grocery items and much more.

### Why S50i?

- ▶ Generic 50mm pitch
- ▶ Superior finish
- ▶ Stronger weight loading
- ▶ Multiple colours: Jura, White, Silver, Black - any special colour to order
- ▶ Matching colours for plinths and ticket strips
- ▶ Exceptional value for money
- ▶ Bay widths: 500mm, 665mm, 800mm, 1000mm, 1250mm
- ▶ Superior packaging to protect against damages
- ▶ Full comprehensive range of accessories: PETG, newspaper & magazine shelving, Q-System, hooks, fruit & veg, wire shelving




Wall Bays




This drawing is designed to illustrate the various components that are required in the construction of a single sided wall bay.

Gondola Bays



This drawing is designed to illustrate the various components that are required in the construction of a double sided gondola bay.

Dimensions




UPRIGHT HEIGHTS	BAY WIDTHS	SHELF DEPTHS
1200mm	500mm	200mm
1400mm	665mm	250mm
1600mm	800mm	300mm
1800mm	1000mm	370mm
2000mm	1250mm	470mm
2100mm		570mm
2200mm	BASE DEPTHS	670mm
2400mm	200mm	770mm
2600mm	300mm	
2800mm	370mm	
3000mm	470mm	
	570mm	
	670mm	
	770mm	

Types of Back Panels



Plain Panels

HEIGHTS AVAILABLE
100mm
200mm
300mm
400mm
500mm
WIDTHS AVAILABLE
500mm
665mm
800mm
1000mm
1250mm



Perforated Panels

HEIGHTS AVAILABLE
400mm
WIDTHS AVAILABLE
500mm
665mm
800mm
1000mm
1250mm



Slatted Panels

HEIGHTS AVAILABLE
100mm
WIDTHS AVAILABLE
500mm
665mm
800mm
1000mm
1250mm

Shelves

Standard Shelves

Can be placed to sit in a level or sloped position.



WIDTHS AVAILABLE
500mm
665mm
800mm
1000mm
1250mm

DEPTHS AVAILABLE
200mm
250mm
300mm
370mm
470mm
570mm
670mm
770mm



Step-by-step Assembly Guides for all our shelving bays

See page 17



### Single Sided Wall Bay

A single sided wall bay is ideal for wall perimeter shelving and is adaptable for multiple shop environments.



- Benefits:**
- Strong and versatile
  - Quick and easy to assemble
  - Available in a variety of sizes

### Double Sided Gondola Bay

A double sided gondola bay is the perfect solution for creating central aisle shelving.



- Benefits:**
- Compliments single sided wall bays
  - Available in various heights and widths to suit all shop environments
  - Accessories available

### Gondola End Bay

A gondola end bay neatly completes any double sided gondola run adding maximum selling space within the shop environment.



- Benefits:**
- Ideal for seasonal displays
  - Maximises in store promotions
  - Creates impulse sales

### Internal 90 Degree Corner Bay

A 90 degree internal corner bay is the perfect solution for maximising all available space within an internal corner.



- Benefits:**
- Utilises space efficiently
  - Special internal B-Panels with pre-bent lugs
  - Allows wall bays to connect into a corner

### Internal 90/45 Degree Corner Bay

A 90/45 degree internal corner bay is the display solution for continuing a wall run into an internal corner where there is plumbing or gas work pipes present.



- Benefits:**
- Special internal B-Panels with pre-bent lugs
  - Accommodates internal corners with works pipes
  - Allows wall bays to connect into an internal corner

### External 90 Degree Corner Bay

An external corner bay allows a run of shelving to continue around the outside of a 90 degree external wall.



- Benefits:**
- Easy and efficient to use
  - Compliments single sided wall bay runs
  - Utilises display space efficiently

### Perforated Wall Bay & Perforated Panel with Hooks

A perforated wall bay creates a display solution ideal for all hanging products.



- Benefits:**
- A variety of hooks types and sizes available
  - High strength perforated back panels
  - EPOS tags available

### Slatwall Bay & Slatwall Panel with Hooks

A slatwall bay creates a display solution ideal for all hanging products.



- Benefits:**
- A variety of hook types & sizes available
  - High strength slatwall panels
  - Maximises display space

### Garment Rail & Oval Rear Support Bar with Notched Arm Bay

Garment rails and oval rear support bars with sloping notched arms are easy and convenient ways to display clothing and hanging goods.



- Benefits:**
- Stylish chrome finish
  - Available to suit 1000 & 1250mm modules
  - Quick and easy to install





### Magazine Bay

A tiered magazine bay is designed to display magazines in high volume whilst maintaining a professional finish. Manufactured in a strong PETG material offering clear product visibility for maximum impact.

**Benefits:**

- Clear strong PETG material
- Available to fit all standard bay sizes
- 1, 2 & 3 tiered displays available for maximum merchandising



### Newspaper Bay

A newspaper bay is the optimum way of displaying newspapers in high volume. Easy to install and manufactured from high quality PETG material for maximum product visibility.

**Benefits:**

- Clear PETG material
- Strong and flexible display
- Maximises product impact



### Card Bay

A tiered card bay allows greeting cards to be stocked in high volume, offering the opportunity for displaying a comprehensive range.

**Benefits:**

- Clear PETG material
- Superior visibility and product impact
- 2, 4, 6, 10 & 12 tiered displays available



### Crisp Bay

A crisp bay creates a fantastic display solution for all bagged crisp and snack goods. Brilliant for high impact point of sale as well as impulse sales.

**Benefits:**

- Clear PETG material
- Strong product impact and visibility
- Matching dividers available



### Bakery Bay

A bakery bay is the perfect display solution for fresh bread and cakes as well as all baked goods. Wire shelves provide great versatility and a first class visual impact.

**Benefits:**

- High quality wire shelves
- Shelves can accommodate wire or acrylic risers
- Creates fantastic product impact



### Fruit & Vegetable Bay

A fruit & vegetable bay will provide the most effective display for fresh fruit and vegetable produce. The purpose made sloping shelves are designed to take box crates and large baskets for maximum produce exposure.

**Benefits:**

- Purpose made, high quality fruit & vegetable shelves
- Available in 450mm & 600mm deep sizes for all bay widths
- Accommodates box crates and green produce baskets



### Wire Basket Bay

A wire basket bay is a flexible display solution for loose packaged or boxed merchandise.

**Benefits:**

- Matching dividers available
- Free standing and stackable
- Ideal for packaged foods and crisps





### Shelf with Scanning



Standard shelves provide a solid one-piece display surface.

**Benefits:**

- ▶ Available to fit all standard bay sizes
- ▶ Can be positioned level or sloped
- ▶ Accessories available

### Shelf with Wire




Wire risers locate into the groove at the front of a shelf to prevent products falling off the shelf whilst providing a stylish finish to the bay.

**Benefits:**

- ▶ Supplied in a chrome finish
- ▶ Available to fit all standard bays
- ▶ Available in 75mm and 150mm heights

### Shelf with Acrylic




Acrylic risers locate into the front groove of a shelf to prevent products falling or rolling off the shelf whilst in position. Clear acrylic material provides a stylish professional finish.

**Benefits:**

- ▶ Available in a high quality clear finish
- ▶ Available to fit all standard bays
- ▶ Strong and easy to use

### Shelf with Plastic



Plastic risers locate into the groove at the front shelf to prevent products falling off the shelf whilst providing a stylish finish to the bay.

**Benefits:**

- ▶ Available to fit 665, 1000 and 1250mm bay sizes
- ▶ Plain and toothed dividers available to suit
- ▶ Can sub divide to create small compartments

### Sloping Holder Bay




A sloping holder display is the perfect solution for angled signage or acrylic mirrored sections.

**Benefits:**

- ▶ Available in 400mm height
- ▶ Inclines upwards at a 45 degree angle
- ▶ Fits branded signage to create a stylish finish to any bay

## Technical Information









Weight Loadings

1. Shelves on Brackets or Base legs (Permissible Load per shelf)

- ▶ The specified loads assume even distribution of product.
- ▶ Wall fixing brackets will increase the weight loading considerably assuming the fixings are adequately secure.
- ▶ Shelves must be installed in diminishing sizes as they ascend up the upright.

BASE LEG TYPE	BASE LEG HEIGHT: 160mm				
Shelf Depth (mm)	370	470	570	670	770
AXIAL DISTANCE (mm)	PERMISSIBLE LOADS (kg)				
665	230	290	350	450	360
1000	200	290	310	350	290
1250	155	260	270	310	270


BRACKET TYPE	BRACKET							BRACKET HEAVY DUTY		
	2 HOOK ADJUSTABLE					3 HOOK ADJUSTABLE		3 HOOK NON ADJUSTABLE		4 HOOK NON ADJUSTABLE
Shelf Depth (mm)	200	250	300	370	470	470	570	570	670	770
AXIAL DISTANCE (mm)	PERMISSIBLE LOADS (kg)									
665	130	120	110	100	90	170	150	180	160	200
1000	130	120	110	100	90	170	150	180	160	200
1250	130	120	110	100	90	170	150	180	160	200

2. Wall Shelving Bays and Gondolas (Total Permissible Load of all shelves excluding base leg)

- ▶ In the case of loads on two sides (gondolas) the same loads as for wall shelving may be applied on each side.

MEAN DEPTH 370MM		MEAN DEPTH 470MM		MEAN DEPTH 570MM		MEAN DEPTH 670MM		MEAN DEPTH 770MM	
Upright Size (mm)	Total Permissible Load (Kg)	Upright Size (mm)	Total Permissible Load (Kg)	Upright Size (mm)	Total Permissible Load (Kg)	Upright Size (mm)	Total Permissible Load (Kg)	Upright Size (mm)	Total Permissible Load (Kg)
60x30	250	60x30	200	60x30	150	80x30	250	80x30	200
80x30	400	80x30	350	80x30	300	110x30	400	110x30	400
110x30	600	110x30	500	110x30	450				

Assembly Guides






# Standard Bay Assembly Guide



1  
Locate the base leg rear lug and block into the bottom H slots of the upright as shown.



2  
Using a rubber mallet, firmly knock the base leg upwards locking it into position until flush.




3  
Repeat steps 1 and 2 until you have two L shaped uprights.



4  
Connect both L shaped uprights together by fitting a back panel into the bottom H slots of the uprights. Now check levels are correct by adjusting the foot discs as required.



5  
Fit the plinth skirting into position by slotting it between the front capping on the base legs.



6  
Fit the base shelf onto the base leg runners. Now fit all remaining back panels.



7  
Once the base shelf and back panels are in place the bay should look as above. You are now ready to fit the upper shelves.



8  
Insert a bracket into the upright H slot at an angle as shown above.



9  
Rotate the bracket upwards until secured in a horizontal position. Brackets can also be positioned at sloping angles if desired.



10  
Repeat step 9 on the opposite upright and then fit a matching shelf onto the pair of brackets.



11  
Repeat steps 8-10 until all the upper shelves are in position.



12  
To finish, attach EPOS ticket strips to the front of all shelves.



# 90 Degree Corner Bay Guide



Locate the base leg rear lug and block into the bottom H Slots of the upright as shown.




Using a rubber mallet, firmly knock the base leg upwards locking it into position until flush.




Repeat steps 1 and 2 until you have two L shaped uprights.



Connect all L shaped uprights together by fitting 665mm back panels into the bottom H slots of both left and right hand side uprights to the central upright. Now check levels are correct by adjusting the foot discs as required. \*



Fit the plinth skirting into position by slotting it between the front capping on the base legs.



Fit the base shelf onto the base leg runners. Now fit all remaining back panels.



Once the base shelf and back panels are in place the bay should look as above. You are now ready to fit the upper shelves.



Use two pairs of brackets per upper shelf. Insert a single bracket into the left upright and a single bracket into the right upright. Then insert the other pair of brackets into the central upright.



Fit a matching shelf onto the brackets.



Repeat steps 8-9 until all the upper shelves are in position.



To finish use 665mm EPOS ticket strips and cut to suit the size of the shelf. Attach the EPOS ticket strips to the front of all shelves.



To further assist your installation please see the above exploded bay configuration.


**\* Note: Back panel lugs locating into the central upright must be bent to a 45 degree angle prior to installation.**



# 90/45 Degree Corner Bay Guide



Locate the base leg rear lug and block into the bottom H Slots of the upright as shown.




Using a rubber mallet, firmly knock the base leg upwards locking it into position until flush.



Repeat steps 1 and 2 until you have two L shaped uprights.



Connect all L shaped uprights together by fitting a 1000mm back panel into the H Slots of the uprights. Now check levels are correct by adjusting the foot discs as required. \*



Fit the plinth skirting into position by slotting it between the front capping on the base legs.



Fit the base shelf onto the base leg runners. Now fit all remaining back panels.

**\* Note: Back panel lugs locating into the central upright must be bent to a 45 degree angle prior to installation.**



Once the base shelf and back panels are in place the bay should look as above. You are now ready to fit the upper shelves.



Insert a bracket into the upright H slot at an angle as shown above.



Repeat step 8 on the opposite upright and then fit a matching shelf onto the pair of brackets.



Repeat steps 8-9 until all the upper shelves are in position.



To finish use 665mm EPOS ticket strips and cut to suit the size of the shelf. Attach the EPOS ticket strips to the front of all shelves.



To further assist your installation please see the above exploded bay configuration.





## S50i Components



Wall Upright (U Channel)



H	D	W
2400	23.5	30

Wall uprights are 3 sided and 'H' slotted, designed to be screw fixed directly to the wall.

Upright Extension



H	D	W
400	60	30
400	80	30
1000	60	30

An upright extension offers an easy way of increasing the height of an existing wall or gondola bay with minimum hassle. Available in either 60mm or 80mm profiles.

**Note: Upright extensions are only to be used for increasing the overall back panel height, not for supporting additional shelves.**

Upright 30 30 (2 Sided)



H	D	W
3000	30	30

The 30mm upright is designed for wall panelling only and is not for use with a base leg. A foot disc and wall fixing bracket are required in order to securely fix these uprights in place.

**Note: Uprights are not supplied with top caps with hole.**

Extension Joint Bracket



D	W
60	30
80	30

An upright extension joint offers a flexible way of increasing the height of an existing wall or gondola bay. Available to fit the 60mm or 80mm upright.

**Note: The maximum additional upright height to be used in conjunction with an extension joint is 600mm.**

Upright 60 30



H	D	W
1200	60	30
1400	60	30
1600	60	30
1800	60	30
2000	60	30
2100	60	30
2200	60	30
2400	60	30
2600	60	30
2800	60	30
3000	60	30

The 60mm upright is perfect for the smaller independent retailer. These uprights are idea for use in both wall and gondola configurations.

Upright 80 30



H	D	W
1200	80	30
1400	80	30
1600	80	30
1800	80	30
2000	80	30
2100	80	30
2200	80	30
2400	80	30
2600	80	30
2800	80	30
3000	80	30

The 80mm upright is the perfect solution for areas within stores where wall and gondola bay configurations are subject to a heavier weight loading demand such as beers, wines and spirits displays. This upright is recommended for high level double sided gondola displays.

**Note: Uprights 30, 60 & 80mm in depth are supplied 10mm longer than specified, i.e. 2200mm upright is supplied at 2210 in length. Remember to allow for foot adjustment when calculating ceiling heights.**



Can't see the upright height you require?

No problem, we can cut uprights in our factory to suit your requirements.



PVC Top Caps (Pairs)



UPRIGHT DEPTH
60
80

PVC top caps locate into the top of an upright to create a clean finish to a bay of shelving. Used in conjunction with a gondola cover, PVC top caps are only required on double sided gondola runs and gondola end bays. Available for the 60mm and 80mm uprights.

Top Cap with Hole



D	W
30	30
60	30
80	30

A top cap with hole is required when attaching a foot disc to an upright, allowing you to locate the foot disc into the base of an upright. Available for 30mm, 60mm and 80mm uprights.

Tie Bar



H	D	W
30	20	665
30	20	800
30	20	1000
30	20	1250

Tie bars allow you to brace and stabilise a bay of shelving when not using any form of back panelling. This item is recommended for use with mobile, single sided and double sided gondola displays.

**Note: Tie bars come complete with all necessary fixings.**


Floor Fixing Brackets



H	D	W
120	75	30

L shaped floor fixing brackets are used to secure shelving units to the floor. They are screw fixed to the inside of the base leg and the floor to prevent movement of the bay.


Wall Fixing Brackets



TYPE	H	D	W
1. Standard	30	100	
2. Adjustable			300

Designed to secure an upright to a wall, wall fixing brackets are available in two different styles. Standard wall fixing brackets are for a straight level wall and the adjustable wall fixing brackets for an uneven/offset wall.

End Panel Brackets



TYPE	H	W
1. Top	40	72
2. Bottom	25	450

End panel brackets are designed to attach display end panels to the shelving bay, the top bracket fits over the top of the upright and the bottom bracket fits over the base leg runner.

Foot Disc



THREAD
95

A foot disc locates into a top cap with hole in the base of an upright. A foot disc makes things simple when you want to create a shelving display but do not require a base leg. Wall fixing brackets will be required to secure the shelving to a wall.



Plain Back Panel



H	W
100	500
200	500
300	500
400	500
500	500
100	665
200	665
300	665
400	665
500	665
100	800
200	800
300	800
400	800
500	800
100	1000
200	1000
300	1000
400	1000
500	1000
100	1250
200	1250
300	1250
400	1250
500	1250

Plain back panels slot into uprights firmly securing a shelving bay together forming a solid back to the shelving bay. For 90 degree internal corner bays use standard 665mm panels by bending the lugs out. For 90/45 degree internal corner bays use standard 1000mm panels by bending the lugs out.


Internal Corner Back Panel 90/45  
Flared



W
400
500

This back panel is designed to fit with the internal 90/45 degree corner bay. The locating lugs are pre-bent to simplify fitting.

Perspex Fixing Bracket  
Back / Front / Base



The perspex fixing brackets are designed to use with a smoked acrylic end panel. The back bracket comes in pairs, left and right depending on which end of the bay you need. This hooks into the upright and the smoked acrylic end panel slots in. The base hooks into the base leg to slot the end panel in. The front bracket is screwed onto the side of the bracket and holds the end panel in place.

Internal Corner Back Panel 90 Flared  
Right / Left Hand



W
400
500

These back panels are designed to fit the internal 90 degree corner bay. The bay requires the use of left and right hand back panels due to the locating pre-bent lugs to fit the bay correctly.

Back Panel Clips (Pairs)



Back panel clips are designed to allow wooden slat board to be hung onto standard uprights. Clips are left and right handed and sold in pairs only. Back panel clips are suitable for 15mm thick wooden board (height 73).


Back Panel Clips 2400mm  
90/45 Degree



H
2400

2400mm back panel clips are designed to allow wooden slat board to be hung onto standard uprights, available in one complete full length strip allowing for faster fitting. Clips are left and right handed and sold in pairs only. 2400mm back panel clips are suitable for 18mm thick wooden board.

Perforated Back Panel



H	W
400	500
400	665
400	800
400	1000
400	1250

These back panels are designed to fit perfectly onto the 90 degree external corner bay. The locating lugs are pre-bent to simplify fitting.

Slatwall Back Panel



H	W
100	500
100	665
100	800
100	1000
100	1250

Slatwall back panels are supplied in 100mm high steel sections. An excellent product which provides fixing slots for single and euro slatwall hooks.

External Corner Back Panel



H	BASE LEG DEPTHS
400	220
500	220

These back panels are designed to fit perfectly onto the 90 degree external corner bay. The locating lugs are pre-bent to simplify fitting.

Gondola Cover



D	W
60	500
80	500
60	665
80	665
60	800
80	800
60	1000
80	1000
60	1250
80	1250

Gondola covers fit on top of a double sided gondola bay to prevent items falling between the back panels. This item provides a clean and professional finish to the shelving bay.



### Plinth



D	W
160	500
160	665
160	800
160	1000
160	1250


A plinth locates between the base legs completing the base shelf section and prevents anything from sliding underneath the base shelf. The plinth is supplied with a rubber profile strip that seals the unit to the floor. This product is available in various colours.



For a full list  
of available  
colours...

please see the RAL  
Codes on page 14

### Internal Corner Plinth 90 Degree



H	BASE LEG DEPTHS
160	300
160	370
160	470
160	570

An internal corner 90 degree plinth locates between the base legs of the 90 degree bay completing the base section and preventing anything from sliding underneath the base shelf. This plinth is supplied with a rubber profile strip that seals the unit to the floor.


### Base Drawer Units



H	D	W
160	470	1000

Base drawer units provide additional storage space under the base shelf. This product sits on integrated casters and easily glides underneath the base shelf.

### Internal Corner Plinth 90/45 Degree



H	BASE LEG DEPTHS
160	300
160	370
160	470
160	570

An internal corner 90/45 degree plinth locates between the base legs of the 90/45 degree bay completing the base section and preventing anything from sliding underneath the base shelf. This plinth is supplied with a rubber profile strip that seals the unit to the floor.

### External Corner Plinth



H	BASE LEG DEPTHS
160	300
160	370
160	470
160	570

A 90 degree external corner plinth locates between the base legs of the 90 degree external bay completing the base section and preventing anything from sliding underneath the base shelf. This plinth is supplied with a rubber profile strip that seals the unit to the floor.

### Base Leg



H	D
160	200
160	300
160	370
160	470
160	570
160	670
160	770

A base leg locates into any 60mm or 80mm upright, allowing a shelving bay to stand upright whilst also creating a ledge for the base shelf to sit on. Combine this with a plinth or base drawer unit to maximise shop floor storage.

**Note: All base legs are supplied with two foot-discs.**

### Glass/Wood Brackets (Pairs)



SHELF DEPTH
170
220
270
370
470

Supplied in pairs, angular shelf brackets are designed specifically for wooden or glass shelves and are adjustable to angles of 20 degrees and 35 degrees whilst fixed to a standard upright.

### Rear Base Leg Stabiliser



The rear base leg stabiliser is used to help stabilise the bay and hooks into the upright. It sits on the back of the bay behind the upright to give further support. It is used mainly with wall bays. The height can be adjusted easily to suit whatever height is needed.

### Brackets 2 Hook (Pairs)



SHELF DEPTH
200
250
300
370
470

Supplied in pairs, shelf brackets hook into the uprights providing a secure support for shelves. The 200, 250, 300 & 370mm 2 hook brackets are adjustable to angles of 20 degrees and 35 degrees. The 470/2 hook bracket is adjustable to an angle of 20 degrees.

### Brackets Heavy Duty (Pairs)



SHELF DEPTH
570
670
770

Supplied in pairs, heavy duty shelf brackets are engineered to provide maximum strength when displaying items in large quantities or heavier products. These brackets are not adjustable.

### Brackets 3 Hook (Pairs)



SHELF DEPTH
470
570

Supplied in pairs, shelf brackets hook into the uprights providing a secure support for shelves. The 470 & 570mm 3 hook brackets are adjustable to angles of 10 degrees and 20 degrees and cannot be used with 'U' Channel uprights.

### PVC Plugs (100 pcs per bag)



PVC glass support plugs are required for use with glass/wood shelf brackets in order to secure/cushion a glass shelf to the brackets. Supplied in bags of 100pcs.



Shelf



D	W
200	500
250	500
300	500
370	500
470	500
570	500
200	665
250	665
300	665
370	665
470	665
570	665
670	665
770	665
200	800
250	800
300	800
370	800
470	800
570	800

D	W
200	1000
250	1000
300	1000
370	1000
470	1000
570	1000
670	1000
770	1000
200	1250
250	1250
300	1250
370	1250
470	1250
570	1250
670	1250
770	1250

Shelves provide a solid one piece display surface.

Available in sizes to fit all standard bay widths: 500, 665, 800, 1000 & 1250mm.

Shelf Internal Corner 90 Degree



A 90 degree corner shelf maximises all available space within an internal corner bay when joining two shelving runs together. Right & left handed internal corner 665mm back panels with pre bent lugs are to be used to finish this bay. Please note that an additional pair

D
300
370
470
570

of brackets and base leg are required for the central upright to support the centre of the shelf.

**Note: For internal corner 90 degree shelves please purchase 665mm EPOS ticket moulding and cut to size.**

Shelf Internal Corner 90/45 Degree



A one piece steel shelf designed to fit on a 90/45 degree internal corner bay. A simple and effective solution for joining shelving runs or hiding plumbing, electrical or gas services that may be located in a corner. A special 990mm

D
300
370
470
570

internal corner back panel with pre bent lugs is to be used to finish this bay.

**Note: For internal corner 90/45 degree shelves please purchase a 665 EPOS ticket moulding and cut to size.**

Shelf External Corner 90 Degree



D
300
370
470
570

A one piece shelf designed to fit a 90 degree external corner bay provides an alternative solution for joining two shelving runs together. Use with external corner back panel to finish this bay.







Wire Shelf



D	W
370	665
370	800
370	1000
370	1250
470	665
470	800
470	1000
470	1250

A high quality wire shelf which is adaptable to many display environments. Ideal for bakery displays and general grocery displays which require an alternative look.

Fruit & Vegetable Shelf



D	W
450	665
450	800
450	1000
450	1250
600	665
600	800
600	1000
600	1250

Our purpose made fruit and vegetable shelf will create that important supermarket look and feel. These shelves are designed to sit at a sloping angle and allow the use of produce baskets in either a landscape position on the 450mm deep shelf or as a portrait position on the 600mm shelf.

Banana Hammock



L	D
1250	500

The banana hammock is supplied in kit form ready for quick and easy assembly. The plastic coated mesh section is easily removable for cleaning to comply with food hygiene regulations. The front of the hammock also accepts our standard EPOS ticket moulding enabling price and product information.

Green Tray



H	D	W
75	280	450

Our shallow plastic trays are ideal for displaying smaller fruit and vegetables. A flexible item in a green finish that can be used to merchandise many different products.

Fruit & Vegetable Basket



H	D	W
200	400	600
200	400	300

A robust plastic fruit and vegetable basket with perforations finished in a dark green colour, complete with fold down black handles for stacking. Perfect to use with the fruit and vegetable shelf.





Merchandise Bin



SIZE (MM)	FINISH
665	Clear
1000	Clear
1250	Clear

A perfect way to display small, loose items in a manner which makes products visual and easily accessible. The bin slots securely into the upright and can be fitted in seconds. Supplied complete with brackets.



Magazine Shelf



TIER	D	W
1 TIER	70	665
1 TIER	70	800
1 TIER	70	1000
1 TIER	70	1250
2 TIER	70	665
2 TIER	70	800
2 TIER	70	1000
2 TIER	70	1250
3 TIER	70	665
3 TIER	70	800
3 TIER	70	1000
3 TIER	70	1250

Our magazine shelf is designed to display magazines in a tiered formation and is manufactured in a clear PETG material. This allows the full length of the magazine to be displayed at the front of each tier whilst offering great strength and flexibility.

Supplied in 1, 2 & 3 tier options complete with brackets.

Card Shelf



TIER	D	W
2 TIER	28	1000
4 TIER	28	1000
6 TIER	28	1000
10 TIER	28	1000
12 TIER	28	1000
2 TIER	28	1250
4 TIER	28	1250
6 TIER	28	1250
10 TIER	28	1250
12 TIER	28	1250

A clear PETG manufactured card shelf which allows greeting cards to stand out from the crowd. Available in various display tiers providing superb flexibility and ease of installation. Supplied complete with brackets.




Newspaper Shelf



TIER	D	W
1 TIER	180	1000
1 TIER	180	1250

This newspaper shelf allows newspapers to be displayed in maximum volume. The shelves are produced in a clear PETG material making them strong and flexible as well as easy to assemble. Supplied complete with brackets.

Newspaper Divider



The newspaper shelf dividers are acrylic to match the newspaper shelf. This product allows you to divide the shelf's merchandising area to suit your specific product requirement.

Crisp Shelf



TIER	D	W
1 TIER	450	1000
1 TIER	450	1250

A clear PETG manufactured crisp and snack shelf which will create high product impact for increased impulse sales. These crisp shelves come complete with shelf brackets. Matching dividers are available as a separate component.

Crisp Divider



The crisp shelf dividers are acrylic to match the crisp shelf. This product allows you to divide the shelf's merchandising area to suit your specific product requirement.



Wire Divider 75



H	W
75	200
75	250
75	300
75	370
75	470
75	570

Wire dividers are supplied in a chrome finish. \*

Wire Riser 95



H	W
95	500
95	665
95	800
95	1000
95	1250

Wire risers are supplied in a chrome finish and locate into the groove at the front of a shelf. These wire risers are 95mm in height leaving 75mm exposed when positioned in the shelf. \*

Wire Divider 150



H	W
150	300
150	370
150	470
150	570

Wire dividers are supplied in a chrome finish. \*

Wire Riser 170



H	W
170	500
170	665
170	800
170	1000
170	1250

Wire risers are supplied in a chrome finish and locate into the groove at the front of a shelf. These wire risers are 170mm in height leaving 150mm exposed when positioned in the shelf. \*

Acrylic Riser



H	W
95	500
95	665
95	800
95	1000
95	1250

Acrylic risers provide the clearest finish of all the risers available whilst also providing fantastic strength. These acrylic risers are 95mm in height leaving 75mm exposed when positioned in the shelf. Manufactured to create a clear glass effect, this product locates into the groove at the front of the shelf.

Acrylic Divider



H	W
75	200
75	250
75	300
75	370
75	470
75	570

Acrylic dividers are supplied in a clear glass effect finish. An acrylic riser is required to the front of the shelf only in order to securely fix an acrylic divider in place.

Low Front Strip



H	W
35	665
35	800
35	1000
35	1250

Low front strips (PVC) are designed to locate perfectly into the groove at the front of a shelf. Low front strips are 35mm in height leaving a 15mm upstand exposed when positioned in the shelf.


High Front Strip



W	H
665	65
800	65
1000	65
1260	65

High front strips (PVC) are designed to locate perfectly into the groove at the front of the shelf. High front strips are 65mm in height leaving a 15mm upstand exposed when positioned in the shelf.

Toothed Plastic Riser



H	W
95	665
95	1000
95	1250

Plastic toothed risers provide a neat finish to any bay of shelving whilst also being kind to your budget. These plastic risers are 95mm in height leaving 75mm exposed when positioned in the shelf. When using plastic dividers an additional plastic riser is required for the rear groove of the shelf.

Toothed Plastic Divider



H	W
75	200
75	250
75	300
75	370
75	470
75	570

The toothed plastic divider slots into the plastic risers at both the front and rear of the shelf providing a secure fixing and allowing subdividers to be used.

Cross Divider Strip



H	W
75	84
75	168

Subdividers are for use with the plastic toothed dividers. This product allows you to divide a shelf's merchandising area to suit your specific product requirement.

Plain Plastic Divider




H	W
75	200
75	250
75	300
75	370
75	470
75	570

The toothed plastic divider slots into the plastic risers at both the front and rear of the shelf providing a secure fixing and allowing subdividers to be used.

\*Note: A wire riser is required to the front of the shelf only in order to securely fix a wire divider in place.



EPOS Ticket Moulding (Scanning)



DIMENSIONS (MM)	
Shelf Width	
	500
	665
	800
	1000
	1250

EPOS ticket moulding (scanning) is ideal for displaying pricing information whilst adding the finishing touch to any shelf. Our ticket moulding accepts a 39mm price ticket.

**Note: For internal and external corner shelves please purchase a 665mm ticket strip in your required colour and cut to your desired size.**



Single Hook  
for Perforated Panel



L
150
200
250
300

A single hook is designed to fit securely into the perforated back panel to display light and medium weight goods.

Euro Hook  
for Perforated Panel



L
150
200
250
300

A euro hook is designed to fit securely into the perforated back panel to display light and medium weight goods.

Self Adhesive Scanning



SHELF WIDTH (MM)
1000
1250

Self adhesive ticketing moulding (scanning) is supplied with double sided tape on the rear. Available in Jura White or Clear only.

Single Hook with Overarm  
for Perforated Panel



L
150
200
250
300

A single hook with overarm is designed to fit securely into a perforated back panel to display light and medium weight goods. This hook comes complete with an overarm which allows the use of an EPOS overarm tag.

Euro Hook with Overarm  
for Perforated Panel



L
150
200
250
300

A euro hook with overarm is designed to fit securely into a perforated back panel to display light and medium weight goods. This hook comes complete with an overarm which allows the use of an EPOS overarm tag.

PP Tag



H	W
32	27

PP tags clip over the end of a euro hook allowing the display of pricing labels.

Slatwall Single Hook



L
150
200
250
300

A slatwall single hook is designed to fit securely into slatwall panelling.

Slatwall Euro Hook



L
150
200
250
300

A slatwall euro hook is designed to fit securely into slatwall panelling.


Slatwall Euro Hook  
with Overarm



L
150
200
250
300

Designed to fit securely into a slatwall back panel to display light and medium weight goods. Comes complete with an overarm which allows the use of an EPOS overarm tag.

Overarm EPOS Tag



H	W
40	70

EPOS overarm tags clip into the overarm section of a hook allowing the display of product information and pricing.

Rear Support Bars  
Perforated



W
665
800
1000
1250

Rear support bars (perforated) are designed to facilitate bar hooks, gift wrap arms and notch bars.

Slatwall Single Hook  
with Overarm



L
150
200
250
300

Designed to fit securely into a slatwall back panel to display light and medium weight goods. Comes complete with an overarm which allows the use of an EPOS overarm tag.



Bar Hook Single  
for Rear Support Bars



W
200
250
300
400

A bar hook single is designed for use with a perforated rear support bar.

Bar Hook Euro  
for Rear Support Bars



W
200
250
300
400

A bar hook euro is designed for use with a perforated rear support bar.

Notch Bar  
for Rear Support Bars



L
420

A notch bar is designed for use on the rear support bar (perforated). This product's strength makes it more suitable for garden centre and builder merchant trades.


Chrome Oval Rear Support Bars



W
1000
1250

Chrome oval rear support bars are designed to facilitate specially designed bar hooks and notch bars.

Notch Bar  
for Chrome Rear Support Bars



L
400

This notch bar is designed to locate onto the oval rear support bar. A lighter product more commonly found in the high street and convenience stores, perfect for clothing displays.

Bar Hook Single  
for Oval Rear Support Bars



D
250

The bar hook single is designed to locate onto the oval rear support bar, also finished in chrome.

Curved Canopy



H	D	W
400	190	1000

Our graphic display canopy is designed with a soft curved angle and locates into the uprights on a standard shelving bay. Perfect for corporate signage promoting product sales and marketing. Brings a promotional sales bay to life. Note: Manufactured to order only.

Wire Stacking Basket



H	D	W
300	450	500
300	450	600
300	450	1000

Our bright zinc wire stacking baskets offer an alternative and flexible way of merchandising large quantities of products. This interlocking item is easily stacked on a bay of shelving.

Stacking Basket Divider



D
450

The wire basket dividers simply locate into the wire stacking baskets allowing different products to be sold in the same baskets. Finished in a bright zinc to match the wire baskets.

Chrome Garment Rail



H	W
350	665
350	1000
350	1250

Finished in a chrome finish, the garment rail (D rail) locates into the upright creating a professional garment display solution.

Sloping Holder Central



H
400

Sloping holder centrals hook straight into an upright and incline upwards at a 45 degree angle, allowing a back panel, mirrored section or signage to be installed. One arm is required per upright.

Sloping Holder Ends  
Pairs



H
400

Sloping holder ends (sold in pairs) are used in conjunction with central sloping holders. These are used at the beginning and end of shelving runs to create a stylish finish. One pair is required per shelving run.



## EVOLVE Q50i

Evolve Q50i is a unique point of sale range which offers exceptional value for money. It has been expertly designed to the highest possible standard, providing unparalleled flexibility & ease of installation. It takes minutes to install!

Our comprehensive range provides a multitude of merchandising opportunities for Q-Management displays in any environment.

Our Evolve Q50i collection has been independently designed on the generic 50mm pitch system and provides you with a top quality range of retail fittings.

Our collection gives you the ultimate in choice, flexibility and quality. The best part is our prices are the most competitive in the market.


We are proud to announce our exciting Q-System range to compliment the Evolve Collection.



## Q50i Queuing System

The system is available in a range of upright & base plate colours to suit your requirements, Silver RAL 9006 being the standard base colour. As with all components within the EVOLVE range, the superior manufacture and finish means you can rest assured it is going to be durable and stand the test of time.

The gauge of material is of a superior thickness, this certifies the system is particularly strong and reliable. The 450mm round base plates are specifically designed concave to provide maximum stability using 5mm thick steel.



### Accessories for the Q-System Range include:

- ▶ PETG newspaper/magazine & card racks
- ▶ Hooks & hanging displays
- ▶ Merchandising bins for loose items such as sweets and crisps
- ▶ Oval rear support bars & accessories
- ▶ Acrylic, plastic & wire riser & divider shelf management systems
- ▶ Full range of coloured scanning ticket mouldings

### What are the benefits?


- ▶ Unique shelves - the rear of the shelf 'wraps' the 60mm round upright therefore leaving a seamless run for optimal display. No gaps at the rear of the shelves, no gaps between uprights.
- ▶ Uniquely designed removable tie bar for hooks & hanging displays. This tie bar can be simply removed mid-run without the need to dismantle adjacent bays
- ▶ 8 way post if required for multi angles - 45, 90 & 135 degrees
- ▶ Half spherical PETG display bowls for the top of uprights. This includes a unique damper system to save breakages
- ▶ Snap back tensator for open/closed Q-Management positions
- ▶ A4 click-in signage posts. This can be either portrait or landscape



### A Typical Run of Q-System Bays




### Component Breakdown of Single Sided Starter Bay



This drawing is designed to illustrate the various components that are required in the construction of a single sided starter bay.

### Component Breakdown of Double Sided Starter Bay



This drawing is designed to illustrate the various components that are required in the construction of a double sided starter bay.

### Single Starter Bay with Dimensions





### Standard Bay & Shelves

A single bay with shelves is ideal to display multiple merchandising options. There are two options of shelves available for this bay: Standard shelves and Quadrant shelves. The Standard shelf is our standard S50i solid shelf and the Quadrant shelf has an infill to securely fit the rear of the shelf.

- Benefits:**
- ▶ Strong and versatile
  - ▶ Quick to assemble
  - ▶ Hygienic

- Dimensions:**
- ▶ Bay height: 1010mm
  - ▶ Bay widths: 665mm, 1000mm & 1250mm



### Standard Bay & Newspaper Shelves

A standard bay with PETG newspaper shelves is the perfect solution for tidily displaying larger printed items in volume. Easy to install and manufactured from high quality PETG material for maximum product visibility.

- Benefits:**
- ▶ A perfect partner to go with the PETG magazine shelves
  - ▶ Clear PETG material which is strong, flexible and maximises product image

- Dimensions:**
- ▶ Bay height: 1010mm
  - ▶ Bay widths: 1000mm & 1250mm



### Standard Bay with Merchandising Bins

A tidy, convenient method to display bagged items such as crisps and snack goods. Brilliant for high impact impulse sales.

- Benefits:**
- ▶ Clear PETG material. Strong product impact and visibility



### Standard Bay & Hooks

A hook system is specifically designed for the Q-System to provide an ideal solution for all items requiring a hanging display.

- Benefits:**
- ▶ A flexible system structured around removable tie bars enabling displays to be easily reconfigured as required

- Dimensions:**
- ▶ Bay height: 1010mm
  - ▶ Bay widths: 665mm, 1000mm & 1250mm



### Standard Bay & Magazine

The tiered magazine bay is designed to display magazines in high volume whilst maintaining a professional finish. Manufactured in a strong PETG material offering clear product visibility for maximum impact.

- Benefits:**
- ▶ A perfect partner to go with the PETG newspaper shelves.
  - ▶ Clear, strong PETG material, 1,2,3 tiered displays available for maximum flexibility in merchandising

- Dimensions:**
- ▶ Bay height: 1010mm
  - ▶ Bay widths: 665mm, 1000mm & 1250mm



### Q Run of bays - 90 degree corner



### Q Run of Bays - 45 degree



**Flexibility in composition.**  
Images show the 90° angle and the 45° angle



Starter Bay

**Bays are simple to construct:**  
Begin with a starter bay then simply add as many follow on bays as you like.


Next, all you have to do is decide how you would like to dress your Q-System display stands: PETG, hooks, shelves, etc.



**Special colours available**  
Contact us for a quotation



Follow on Bay








# Q50i Components

## Round Uprights (4 sided)



SIZE (MM)	FINISH
1000 x 60	Silver

The 60mm 4 sided round upright is designed to create both straight as well as 90 degree display runs. To be used with the round base plate and fixing bolt.

## Round Uprights (8 sided)



SIZE (MM)	FINISH
1000 x 60	Silver

The 60mm 8 sided round upright is designed to create straight, 45 degree as well as 90 degree display runs. To be used with the round base plate and fixing bolt.

## Round Base Plates



SIZE (MM)	FINISH
450	Silver

The 5mm thick round base plate provides the optimum floor fixture for the display unit. Slightly convex in design, adds style but also gives the assurance of a non trip hazard base section.

## Removable Tie Bar



SIZE (MM)	FINISH
665	Silver
1000	Silver
1250	Silver

The removable tie bar is designed to allow easy flexibility around merchandising. The bar is unique in the fact that it can be removed and then relocated without having to dismantle any of the structural display. Use this tie bar with hooks to create versatile hanging displays.

## Fixing Bolt & Washer for Round Base Plates



SIZE (MM)	FINISH
M10	Zinc

The fixing bolt is required to connect the round upright and round base plate together securely.



Brackets (pair)



SIZE (MM)	FINISH
200	Silver

Supplied in pairs, shelf brackets hook into the uprights providing a secure support for shelves. The brackets are adjustable to angles of 20 degrees and 35 degrees.

Standard Shelf (brackets not included)



SIZE (MM)	FINISH
200 x 665	Silver
200 x 1000	Silver
200 x 1250	Silver

Standard shelves provide a solid one piece display surface.

Quadrant Shelf (brackets not included)




SIZE (MM)	FINISH
200 x 665	Silver
200 x 1000	Silver
200 x 1250	Silver

Quadrant shelf with infill to securely fit the rear of the shelf. "Wraps" the round upright leaving no gaps between shelves (rear & side). Creates a seamless run.

Shelving Options

Metal and PETG solutions to suit your needs.



PETG Tiered Magazine Shelf



SIZE (MM)	FINISH	FINISH
1 Tier	70	665
1 Tier	70	1000
1 Tier	70	1250
2 Tier	70	665
2 Tier	70	1000
2 Tier	70	1250
3 Tier	70	665
3 Tier	70	1000
3 Tier	70	1250

Supplied in 1, 2 & 3 tier options complete with brackets, our magazine shelf is designed to display publications in a tiered formation. It is manufactured in a clear PETG material, which allows the full length of the magazine to be displayed at the front of each tier whilst offering great strength and flexibility.



PETG Merchandise Bin



SIZE (MM)	FINISH
665	Clear
1000	Clear
1250	Clear

A perfect way to display small, loose items in a manner which makes products visual and easily accessible. The bin slots securely into the upright and can be fitted in seconds. Supplied complete with brackets.

PETG Newspaper Shelf



SIZE (MM)	FINISH
1000	Clear
1250	Clear

This newspaper shelf allows newspapers to be displayed in maximum volume. The shelves are produced in a clear PETG material making them strong and flexible as well as easy to assemble. Supplied complete with brackets.


Half Spherical Bowl



SIZE (MM)	FINISH
350	Clear

A high quality PETG manufactured clear bowl designed to sit on top of the round upright for impulse display. Supplied complete with a rubber mount for flexible movement eliminating cracks and breakages - best on the market.

Newspaper Divider



The newspaper shelf dividers are acrylic to match the newspaper shelf. This product allows you to divide the shelf's merchandising area to suit your specific product requirement.



Step-by-step Assembly Guides for all our shelving bays

See page 17



Top Cap for Round Upright



SIZE (MM)	FINISH
60	Black PVC

A plain black PVC plastic top cap designed to plug into the top of the round upright.

Top Cap for Round Upright  
complete with M10 threaded nut



SIZE (MM)	FINISH
60	Black PVC

A black PVC plastic top cap with an M10 threaded nut inside. Fits into the top of the round upright to accommodate A4 sign holder and PETG bowl.

Top Cap for Tensator



SIZE (MM)	FINISH
60	Black PVC

A black PVC plastic top cap with an M10 threaded bolt inside fits into the round upright to accommodate the retractable tensator attachment.

Foot Disc



SIZE (MM)	FINISH
95	Zinc

The foot disc is to be used in conjunction with the round upright when creating an internal 90 degree corner utilising the 275mm driver bar.

Plastic Divider (Plain)



SIZE (MM)	FINISH
75 x 200	Clear

The plain plastic divider creates a single sub section that covers the entire depth of the shelf. When using plastic dividers an additional plastic riser is required for the rear groove of the shelf.

Plastic Riser (Toothed)



SIZE (MM)	FINISH
95 x 665	Clear
95 x 1000	Clear
95 x 1250	Clear

Plastic toothed risers provide a neat finish to any bay of shelving whilst also being kind to your budget. These plastic risers are 95mm in height leaving 75mm exposed when positioned in the shelf. When using plastic dividers an additional plastic riser is required for the rear groove of the shelf.


Plastic Divider (Toothed)



SIZE (MM)	FINISH
75 x 200	Clear

The toothed plastic divider creates a single sub section that covers the entire depth of the shelf. When using plastic dividers an additional plastic riser is required for the rear groove of the shelf.

A4 Header Frame



FINISH
Black

An A4 header frame to locate signage onto the top of a round upright. Use with 'T' piece, upstand and top cap with M10 nut.

Header 'T' piece for A4 Frame



FINISH
Black

The 'T' piece is used in conjunction with the A4 header allowing connection to the chrome upstand.

Header upstand  
for A4 Frame 'T' piece



SIZE (MM)	FINISH
160	Chrome

The chrome upstand is to be used with the A4 header and 'T' piece to be connected into the top cap with M10 nut.

Tensator



SIZE (MM)	FINISH
60	Black/Chrome

A high quality tensator with a retractable belt which enables non merchandised partitions to be created.

Plastic Subdivider



SIZE (MM)	FINISH
75 x 84	Clear
75 x 165	Clear

Subdividers are for use with the plastic toothed dividers. This product allows you to divide a shelf's merchandising area to suit your specific product requirement.

Low Front Strip



SIZE (MM)	FINISH
35 x 665	Clear
35 x 1000	Clear
35 x 1250	Clear

Low front strips (PVC) are designed to locate perfectly into the groove at the front of a shelf. Low front strips are 35mm in height leaving a 15mm upstand exposed when positioned in the shelf.

Acrylic Riser



SIZE (MM)	FINISH
95 x 665	Clear
95 x 1000	Clear
95 x 1250	Clear

Acrylic risers provide the clearest finish of all the risers available whilst also providing fantastic strength. These are 95mm in height leaving 75mm exposed when positioned in the shelf. Manufactured to create a clear glass effect, this product locates into the groove at the front of the shelf.

Acrylic Divider



SIZE (MM)	FINISH
75 x 200	Clear

Acrylic dividers are supplied in a clear glass effect finish. An acrylic riser is required to the front of the shelf only in order to securely fix an acrylic divider in place.




Euro Hook with Overarm



SIZE (MM)
200

The euro hook with overarm is designed to fit securely with tie bar.


EPOS Tag for Overarm



SIZE (MM)	FINISH
70 x 40	Clear


EPOS overarm tags clip onto the overarm section of a hook allowing the display of product information and pricing.

EPOS Ticket Moulding (Scanning)



SHELF WIDTH (MM)
665
1000
1250

EPOS ticket moulding (scanning) is ideal for displaying pricing information whilst adding the finishing touch to any shelf. Our ticket moulding accepts a 39mm price ticket.



For a full list of available colours... please see the RAL Codes on page 14





## W50i Wire Shelving

Our wire shelving collection is a comprehensive retail solution for all your display needs.

Designed to the highest specification, our wire shelving range has been designed to give products the premium look they deserve when merchandised. The shelving permits more light through which brightens the product and makes it more appealing to customers.

The sleek anthracite finish across the range will enable the premium feel to be obtained, and when used strategically in store will help drive sales.

### Why Evolve Wire?

- ▶ Colour: attractive anthracite grey
- ▶ Resilient, strong wire construction
- ▶ High quality finish and smart appearance
- ▶ Wire reversible shelf gives a unique shelving opportunity with 2 shelf profiles
- ▶ Bay widths: 1000 & 1250mm
- ▶ Half round end shelves available
- ▶ Wire shelving accessories available within the range
- ▶ Superior packaging to protect against damages
- ▶ Supplied in boxes for easy distribution

### Our range includes:

- ▶ Wire Reversible Shelf
- ▶ Wire Gondola Bays
- ▶ Base Shelves
- ▶ Crash Rails
- ▶ Risers
- ▶ Wooden Fronts



### Wire Gondola Bay with Standard Profile

- Benefits:**
- ▶ Less scratches and dents
  - ▶ Transparent visibility
  - ▶ Half round ends offer maximum product display with island shelving bays



### Wire Gondola Bay with Twin Wire Front Profile

- Benefits:**
- ▶ Easy to maintain and will always keep in great condition
  - ▶ Any light coming through will shine through the shelves, giving good product visibility and density
  - ▶ Unique reversible shelf offers 2 shelf front profile options; Twin Wire Front Profile and Standard Front Profile



### Wire Wall Bay with Acrylic Risers

- Benefits:**
- ▶ Simple installation like our S50i shelving range
  - ▶ Strong, robust wire shelving perfect for displaying fine quality products in store
  - ▶ No need to change merchandising layouts, as W50i conforms to standard European shelving profiles



### Wire Wall Bay with Wire Risers


- Benefits:**
- ▶ Premium anthracite finish, produces a high class elegant appearance
  - ▶ Wall bay and gondola islands available
  - ▶ Creates a platform for product displays that genuinely stands out




### The Wire Reversible Shelf Standard Profile



### The Wire Reversible Shelf Twin Front Profile



### Wire Shelf for Half Round End



### Base Shelf





### Base Shelf for Half Round End






Reversible Shelf Standard Profile



Option 1

Reversible Shelf Twin Wire Profile



Option 2

Wire Reversible Shelf - A Unique Shelving Opportunity

This shelf provides the ultimate in flexibility as it is designed to be reversible. It provides two alternative shelf profiles.

Option 1 - Standard shelf profile - also accepts ticket moulding along with the Evolve range of risers in either wire or acrylic.

Option 2 - Twin wire front profile - accepting our EPOS ticket moulding (scanning) for twin wire front and anthracite wireriser 40 or 70mm height. Please see page 11 for full product details.

W50i Components

Wire Shelving Solution





Standard Upright



W	D	H
30	80	1710
30	80	2110

The 80mm upright is the perfect solution for areas within stores where wall and gondola bay configurations are subject to a heavier weight loading demand such as beers, wines and spirit displays. This upright is recommended for high level double sided gondola displays.

W50i Upright (Slotted)



W	D	H
30	80	1710
30	80	2110

This 80mm wire shelving upright is a perfect solution for areas within stores where wall and gondola bay configurations are required. This upright is suitable for heavier weight loading demands such as beers, wines and spirits displays. This upright is recommended for high level double sided gondola displays.

W50i Base Legs for Half Round End  
Pairs



D
370
470
570

These base legs hook into the upright to provide a robust base onto which the base shelf for half round end rests. Sold as pairs.

W50i Base Leg



D	H
370	160
470	160
570	160

A base leg locates into any 60mm or 80mm upright, allowing a shelving bay to stand upright whilst also creating a ledge for the base shelf to sit on. Combine this with a plinth or base drawer unit to maximise shop floor storage.

Standard Base Leg



D	H
200	160
300	160
370	160
470	160
570	160
670	160
770	160

A base leg locates into any 60mm or 80mm upright, allowing a shelving bay to stand upright whilst also creating a ledge for the base shelf to sit on. Combine this with a plinth or base drawer unit to maximise shop floor storage.

W50i Plinth for Half Round End



D
370
470
570

This half round plinth wraps around the shelf section and returns to meet the plinth on the adjoining gondola unit.

W50i Plinth



W	D
1000	160
1250	160

A plinth locates between the base legs completing the base shelf section and prevents anything from sliding underneath the base shelf. The plinth is supplied with a rubber profile that seals the unit to the floor.

Standard Plinth



D	W
160	500
160	665
160	800
160	1000
160	1250

A plinth locates between the base legs completing the base shelf section and prevents anything from sliding underneath the base shelf. The plinth is supplied with a rubber profile strip that seals the unit to the floor. This product is available in various colours.

W50i Back Panel



H	W
400	1000
400	1250

This high quality wire back panel slots into the uprights firmly securing a wire shelving bay together. The horizontal wire spacing is in incremental 10mm gaps.

Gondola Cover



W	D
1000	80
1250	80

Gondola covers fit on top of a double sided wire shelving gondola bay to prevent items falling between the back panels. This item provides a clean and professional finish to the wire shelving bay.

**Note:** All base legs are supplied with two foot-discs.



W50i Base Shelf



W	D
1000	370
1000	470
1000	570
1250	370
1250	470
1250	570

Shelves provide a solid one piece display surface. Available in widths of 1000 & 1250mm in anthracite colour.

Wire Reversible Shelf



Brackets (Pairs)



D
370
470

This bracket is specifically designed for our wire shelving system. The front of the bracket has a radius front edge to provide a sleek edge. Sold in pairs.

Brackets for Half Round End Shelf  
Cranked (Pairs)



D
370
470

This bracket hooks into the upright and spreads into a 'V' to form an under shelf support for the curved wire upper shelf. Sold in pairs.

A Unique Shelving Opportunity

This shelf provides the ultimate in flexibility as it is designed to be reversible. It provides two alternative shelf profiles. Option 1 - Standard shelf profile - also accepts ticket moulding along with the Evolve range of risers in either wire or acrylic. Option 2 - Twin wire front profile - accepting our EPOS ticket moulding (scanning) for twin wire front and anthracite wire riser 40 or 70mm height.

D	W
370	1000
470	1000
370	1250
470	1250


Standard Base Shelf



W	D
1000	370
1000	470
1000	570
1250	370
1250	470
1250	570

A strong, robust and solid metal base shelf, used to prevent goods falling through to the floor level. The finish of the shelf is extremely neat and blends into the plinth skirting.

Wire Shelf for Half Round End



RADIUS
370
470

A strong, robust and solid metal base shelf, used to prevent goods falling through to the floor level. The finish of the shelf is extremely neat and blends into the plinth skirting.

Base Shelf for Half Round End



RADIUS
370
470
570

A strong, robust and solid metal base shelf, used to prevent goods falling through to the floor level. The finish of the shelf is extremely neat and blends into the plinth skirting.

Crash Rail  
(Stainless Steel)



L
1000
1250

Manufactured from stainless steel, the crash rail also provides the ultimate finishing touch to the wire shelving base section. This strong and robust crash rail is designed to prevent damage from anything colliding with the base of the wire shelving unit such as shopping trollies.

Crash Rail for Half Round End  
(Stainless Steel)




RADIUS
370
470
570

The ultimate finishing touch! This strong and robust crash rail is designed to prevent unwanted damage from stock colliding with the base of the wire shelving unit such as a shopping trolley.



Wire Riser for Upper Wire Shelf

Twin Wire Profile




Wire risers have an anthracite finish and are for the twin wire front profile. The wire riser connects into the front edge of the upper wire shelf.

W	H
1000	40
1000	70
1250	40
1250	70

Wire Riser for Upper Half Round Shelf

Twin Wire Profile



The anthracite finish wire riser connects into the front edge of the upper wire half round shelf.

D	H	D	H
370	70	370	40
470	70	470	40
570	70	570	40

Wire Riser for Half Round Base Shelf



D	RADIUS	D	RADIUS
40	370	70	370
40	470	70	470
40	570	70	570

The anthracite finished wire riser connects into the front edge of the half round solid base shelf. This product acts as both a riser to prevent goods from slipping off the shelf as well as the fixing point for the EPOS wire clip on ticket moulding (scanning).

Wire Riser for Base Shelf



W	H
1000	40
1000	70
1250	40
1250	70

The anthracite finished wire riser connects into the front edge of the solid base shelf. This product acts as both a riser to prevent goods from slipping off the shelf as well as the fixing point for the EPOS wire clip on ticket moulding.

Crash Rail Fixing Bracket


(2 Fixing Bolts)



The crash rail fixing bracket is designed to locate into the front of the base leg for the half round end and the rectangular end allowing the crash bar to securely connect in position. Supplied complete with fixing bolts.

EPOS Ticket Moulding (Scanning)

Standard Profile



W
1000
1250

EPOS ticket moulding (scanning) is ideal for displaying pricing information whilst adding the finishing touches to any shelf. Our ticket moulding accepts a 39mm price ticket. Available in a clear finish.

Acrylic Riser

Standard Profile



W	H
1000	75
1250	75

Acrylic risers provide the clearest finish of all the risers available whilst also providing fantastic strength. These acrylic risers are 95mm in height leaving 75mm exposed when positioned in the shelf. Manufactured to create a clear gloss effect, this product locates into the groove at the front of the standard shelf profile of the wire reversible shelf.

Wire Riser

Standard Profile



W	H
1000	95
1250	95

Wire risers are supplied in a chrome finish and locate into the groove at the front of the standard shelf profile of the wire reversible shelf. Supplied in 95mm in height leaving 75mm exposed when positioned in the shelf. In matching anthracite finish.

Rail Inserts


(Pairs)



For use with the straight crash rail. These 2 Rail Inserts sit either side of the crash rail fixing bracket. They locate the ends of the crash rail together. Image not in proportion - enlarged to clearly demonstrate product.

Wire EPOS Ticket Moulding

Twin Wire Front




W
1000
1250

This ticket moulding is designed to clip onto the twin wire front profile of the reversible wire shelf. Available in clear finish only.

Wire EPOS Ticket Moulding

For Half Round End



D	W
70	39

These shorter lengths of ticket moulding provide the flexibility required for a curved wire shelf. It can be positioned wherever chosen on the shelf and it clips onto the wire profile of the curved shelf. Available in clear finish only.



Our Evolve LED Lighting offers a quick and easy solution. A top quality product, designed and engineered to work with the Evolve S50i range of shelving.

“The price of light is less than the cost of darkness”  
Arthur C. Nielson

Our aim was to provide a lighting solution for the highly acclaimed Evolve S50i shelving range. Our challenge was to design a product that could be easily installed without the need for electricians. A simple “plug & play” product. We also needed to create a system that worked for both new & retro-fitted installations.

A simple magnetic light track almost magically attaches itself to the rear back panels of the shelving unit. The magnetic solution was further added to both the LED light fittings & to the wires connecting the LEDs to the light track.

Simply attach the LED light units to the underside of the metal shelf & connect to the rear light track. Hey presto - “light & warmth” to the shelf products in minutes. Dangerous hanging wires are now a thing of the past; the magnetic wiring simply attaches to the metal shelves.

Moving the LED lights couldn’t be easier. Simply disconnect from the light track & move to a new location. Shelves can be staggered as every light is individually connected.

The Evolve low voltage system offers peace of mind, working on a 24 volt system used by airlines & shipping companies throughout the world ensuring that customers & staff are safe. The LED lighting is safe to the touch of hands and safe to the products it illuminates. The LED drivers that sit beneath the base shelves powering the LED shelf lighting have further added safety benefits. Should there be any power overload or too many lights added to the system then the driver simply cuts out.

We sincerely hope you'll like & enjoy fitting our safe & easy to install Evolve LED lighting system.



## LED Lighting System

### The Benefits Evolve LED lighting;

- ▶ Safe & simple to install without the need for electricians
- ▶ LED lights for bay sizes 500, 666, 800, 1000 & 1250mm
- ▶ Can be installed in minutes per bay
- ▶ Low cost running, for example a 1000mm LED light units uses only 10 watts
- ▶ Low maintenance - typical 1000mm LED light will run for 50,000 hours without maintenance
- ▶ LEDs come with magnetic wires which attach to underside of metal shelves
- ▶ LED driver (power unit) simply sits under the base shelf

DESCRIPTION	LED LIGHT SIZE	LUMEN	VOLTAGE	POWER	MAX NO. OF LIGHTS PER DRIVER/TRACK	COLOUR
LED Light fitting for 500mm Shelf	450mm	441LM	24V	5.7W	13	White 6500K
LED Light fitting for 665mm Shelf	650mm	617LM	24V	8.5W	8	White 6500K
LED Light fitting for 800mm Shelf	750mm	726LM	24V	10W	7	White 6500K
LED Light fitting for 1000mm Shelf	950mm	936LM	24V	12.9W	6	White 6500K
LED Light fitting for 1250mm Shelf	1150mm	1170LM	24V	15.7W	4	White 6500K
LED Light Track	1800mm					White
LED Light Track	1800mm					Grey
LED Light Track	1800mm					Black
LED Driver starter with 13AMP plug	3000mm length			75W		White
LED Driver follow on with link lead	3000mm length			75W		White



# Baskets & Trolleys



## Baskets

They are made from high quality injection moulding ensuring durability and extremely neat stacking. They are hygienic and easy to wash down. They have double handles for greater stability. They are available in 5 modern colours: Green, Red, Blue, Black and Grey. These colours match our scanning ticket moulding and plinths. They are good value for money and come in 2 convenient sizes: 22 Litre and 30 Litre.

### SIZE

22L

30L



## Shopping Trolley 100L & 120L

These shopping trolleys are available in 2 different sizes; 100L and 120L. The trolleys have a wire finish with red accents. These are the perfect accessory for the wire range along with our shopping baskets.

The trolley has a folding seat for infants and plastic protective covers on the front to ensure no damage occurs with anything colliding with the trolley. They have swivel castor wheels, which help to move the trolley around with ease. For further details on our shopping baskets, please see page 26.

### SIZE

100L

120L





**EVOLVE**

**Shop Equipment & Design**  
**[www.shopequip.co.uk](http://www.shopequip.co.uk)**  
**Tel: 01202 864510**